GENERAL INDEX TO VOLUME 17, 1980

(New names are indicated by **boldface** type, synonyms by *italics*)

Acari 15–17, 22–29, 30–34, 89–99, 117–21, 186–87, 199, 218–20, 242–44, 268–81, 286–89, 314–27, 344–47, 352–59, 375–79, 391–410, 424–26, 473–78, 494–97, 506–08, 529–32, 545–60
acaricide, see pesticide
Adlerius 80
Aedes 55–56, 342, 371, 415, 569
  aegypti 5, 49–51, 53, 55–56, 183–84, 211, 342, 371, 383–84, 411, 413, 415, 439, 466–72, 485–88, 512–14
    enzymes in 383
    predation by Toxorhynchites 466
  africanus 367, 371, 373, 411–16
    ecology of 411
  albopictus 15, 176, 330, 338–39, 342, 485–86, 515–17
  argentiopunctatus 183
  atropalpus 512–13
  bellator 162
  cantans 162
  cantator 330
  flavopictus 333–37
    fungal parasite of 333
  homunucus 162
  longipalpis 413
  luteocephalus 367, 411–13, 415
  mitchellae 40
  polynesiensis 439, 485
  sierrensis 156–64
    dispersal in orchard 156
  simpsoni 183, 367–74, 415
    ecology of 367
  sollicitans 40, 330, 463
  taeniorhynchus 40, 49, 462
  thibaulti 162
  togoi 176, 509–14
    oviposition stimulant in 509
  triseriatus 1–7, 162, 513
  vexans 40, 157
Alectorobius 427–38
Aleochara bimaculata 199
  tristis 199
Alysia undescr. sp. 199
Amblyomma 376
  americanum 93, 315, 320, 479–559
  cajennense 380
  hebraeum 378, 550–60
    effects on rabbits 555
  lepidum 375–79
    susceptibility to acaricides 375
  maculatum 315, 320, 559
  variegatum 375–79, 380
    susceptibility to acaricides 375
Amblyomminae 364
anaplasmosis 8
  bovine 480
anemia, equine infectious 8
Anilomyia 538
Anocentor nitens 119
Anopheles 54–55, 78, 193, 342
  albimanus 422, 563–67
    egg production 563
  aquasalis 422
  arabiensis 100–02, 184
  crucians 40
  culicifacies 211–17, 422
  franciscanus 350
  freeborni 157
  funestus 100–02, 183–84
  gambiae 49, 54, 100–02, 183–84, 373
  gambiae complex .. 101–02, 183–84
  nili 183–85
  quadrimaculatus 149, 485–86
  sinensis 333
  stephensi 54, 211–17, 396
anopheline 191
Anoplura 15–17, 144, 483–84
  seasonal abundance on Gray Squirrels 483
ant 154, 192
  European red wood 191
  wood 192
Antennomegistus 398
anthrax 8
Aphaerta pallipes 199
aphid 191, 331
arbovirus, see virus
Argasidae 18, 20, 364, 427–38
Argas persicus 18, 20–21
arthritis, Lyme 89, 99, 314, 321, 473
Ascoschoengastia audyi 37–38
  ctenacarus 37
Asilidae 199
Avaritia 228, 538
Babesia canis 321
  gibsoni 321
  microti 89, 321
babesiosis 117, 314
  bovine 287
  canine 314
  human 321
Babiangia 529
  danieli 529
Bacillus thuringiensis 205
bacteria 198, 346, 421–22, 480, 510, 512–14
  enteric 417
bee 491
beetle 56, 267
Bewsiella 546
biochemical markers 383
Blankaartia 218–20, 243–44, 530
  acuscutellaris 218
  amersoni 529–30
  ardeae 218
  cristifera 218
  dohanyi 218
  gracilis 218
  kwanacara 218
  mauri 530
  rageaui 218
  wetmorei 530
Blattella germanica 417–23
Blattellidae 417–23
Boophilus annulatus 287–89
  ovipositional biology 287
  decoloratus 380
  microplus 117–21, 380, 391, 559–60
  ovipositional biology 115
Boydaia nigra 506
Branhamella catarrhalis 198
Brumptomyia .. 76–81, 85–86, 245–46
  avellari 80, 245–47
  beaupertuyi 245–46, 263
  bragai 83
  cardosoi 83
  devenanzii 245–46, 263
  galindoi 245
  orlandoi 83
  travassosi 80
bug 70, 103–15, 168, 182, 191
  bed 191
butterfly 267
Calliphoridae 235–41, 265–67
canine 314
Cediopsylla simplex 479
Celaenopsoides 398
  buloloensis 409
cell lines
  from Toxorhynchites 338
Ceratophyllidae 483
Ceratopogonidae 84–85, 183, 221–31, 385–86, 533–44
  new species 533
Ceratixodes 360
Chelanyssus 546, 548
chemosterilant 203
  apholate 203
  diflubenzuron 203, 205
  heliotrine 203
  tepa 203
chemosterilization of ticks 18
chigger 30–38, 242–44, 268, 270, 286, 324–27, 477–78, 494–97, 529–32
  control with dimethoate 30
  new genus 242
  new species 218, 324, 477, 494, 529
Chiroptonyssus 546, 548
chloroquine 193
cholera, hog 8
cholinesterase 375–79
Chrysolina 56
  brunsvicensis 56

Chrysops 13, 61, 502–05
ovarian development in 502
aestuans 502
ater 502–05
atlanticus 502, 504
carbonarius 60, 505
cuclux 60, 505
excitans 60, 503–04
flavidus 12–13
frigidus 60, 503–04
fuliginosus 502, 504
furcatus 60
indus 503–05
lateralis 60
mitis 60, 481, 502–05
moerens 502
niger 60, 503–04
shermani 503–04
vittatus 503–04
Cicadellidae 290
Cnephia 61
mutata 59–60
Coboydaia 506
Cochliomyia hominivorax ... 235, 265
cockroach 191
American 417, 420–22
German 417–23
as vector of Salmonella 417
Coelidiinae 290
Coelomomyces 333, 336, 373
keilini 336
omorii 333
opifexi 336
ponticulus 333–37
psorophorae 336
raffaelei var. parvus 333
stegomyiae 336
var. rotumae 336
tasmaniensis 336
Coleoptera 199, 373
Coquillettidia perturbans 40, 446
Corynebacterium pyogenes 198
Coxiella burneti 36–37
Crassomyia 84
Cryptonyssus 546, 548
Culex 54–55, 184, 282, 342
nigripalpus 40–50
bionomics of 40
pipiens 513
transmission of St. Louis encephalitis virus 282
complex 282–85
fatigans 49–50, 149, 512, 514
molestus 513–14
pipiens 283, 513
quinquefasciatus 49, 63–69, 149, 282–83, 285, 350, 466, 485–86, 512–14
seasonal changes 63
pseudovishnui 172
quinquefasciatus 184, 211, 216
salinarius 485–86, 512
physiological age and fecundity 485
tarsalis 49, 122–25, 146–50, 157, 172, 175, 331, 348–51, 487–88, 512–14
dispersal and survival 146
effects of thermal stress 487
sterilization of 122
tritaeniorhynchus 49, 172–77, 211
as vector of West Nile virus 172
summorosus 333
vishnui subgroup 172
Culicidae 1–7, 40–57, 63–69, 122–25, 146–50, 156–64, 172–81, 211–17, 282–85, 328–43, 348–51, 367–74, 383–84, 411–16, 439–41, 453–72, 485–88, 509–18, 563–69
Culicinae 85, 191
Culicoides 184, 221–31, 385–86, 533–44
host-seeking activity 221
ameliae 543
archboldi 543
belemensis 538
biguttatus 224–30
brevitarsis 229
caldasi 535
chiopterus 224–25, 230
crepuscularis 386
debilipalpis 535
distinctipennis 183
eublepharus group 543
florenciae 533–44
description of male 533
galindoi 538
grahamii 183
guttipennis 385
imicola 184
impunctatus 184
leucostrictus 184
limai group 536, 538
neofagineus 230
nivosus 184
nubeculosus 229
obsoletus 224–30
species group 184
pabloi 541
pancensis 536
pichindensis 538
propriipennis 535
pulicaris 184
punctatus 184
reevesi 230
sanguisuga 224–25, 228–29
santanderi 536
schultzei 183
similis 183–84
spinosus 224–26, 228
stellifer 224–30
transferrans group 543
variipennis 221, 224–25, 230, 385–86
variipennis 228
venustus 224–25, 228
Culiseta inornata 157, 350
melanura 40, 442–43, 446, 450, 453–65
vector potential for EEEV 453
Cuterebra 480, 489, 492–93
grisea 489, 492
latifrons 489, 492–93
lepivora 489–93
aggregation and territoriality of 489
myiasis 480
polita 489, 492
sp. 479
tenebrosa 489, 492
Cuterebridae 489–93
Dactylopsylla ignota 129
Demodex 344
zalophi 344
Demodicidae 344–47
demodicosis 344–47
Dermacentor 22
albipictus 16, 93, 119, 315–16, 320
andersoni 391, 559
variabilis 22, 24–28, 93–99, 315–17, 320–21, 391–97, 475, 479
immunity to 391
dermatitis, schistosome 422
Derrickiella 478
Diapriidae 481–82
Dictyoptera 417–23
Diglochis occidentialis 503
Diptera 1–14, 40–69, 75–88, 122–25, 146–64, 172–81, 188–89, 195–217, 221–41, 245–67, 282–85, 291–97, 328–43, 348–51, 367–74, 383–86, 411–16, 439–41, 453–72, 481–82, 485–93, 502–05, 509–28, 533–44, 561–68
Dirofilaria immitis 156
disease, Chagas' 70, 103, 165, 182
Eadiea 498–99
brevihamata 498–99, 501
condylurae 499, 501
desmanae 498–99, 501
longisetosa 499, 501
neurotrichus 498–501
scapanus 499, 501
silvatica 499, 501
Echinomegistus 398
ectoparasite, of birds 506
of Eastern Cottontail 479
of Mule Deer 15
of White-tailed Deer 15
encephalitis, see virus
Enderleinellidae 483
Enderleinellus longiceps 483
Entomophthora muscae 199
sp. 199
enzyme, acetaldehyde oxidase 383
acid phosphatase 383
alcohol dehydrogenase 383
aldolase 383
alkaline phosphatase 383
α-glycerophosphate dehydrogenase 383
esterase 383
fumarase 383
glucose-6-phosphate dehydrogenase 383
hexokinase 383
malate dehydrogenase (NAD) .. 383
malic (NADP) 383

octanol dehydrogenase 383
pyruvate dehydrogenase 383
6-phosphogluconate dehydrogenase 383
xanthine dehydrogenase 383
Ephestia kuehniella 561
Eretmapodites chrysogaster 370, 373
Ereynetidae 506–08
new species 506
erythema chronicum migrans 314, 321
Eucoila impatiens 199
Euhoplopsyllus glacialis affinis 479
Euphlebotomus 80
Eupteromalus dubius 199
Eutrombicula 242–43
alfreddugesi 286
batatas 286
splendens 38
wichmanni 268
Evandromyia 246
Fannia canicularis 154
femoralis 154
fever, Bolivian hemorrhagic 545
Omsk hemorrhagic 363
Rocky Mountain spotted 22, 314, 316, 321, 480
sand fly 339
yellow 35, 363, 367, 414, 466
filariasis 8, 466
Finlaya 509
flavivirus, see virus
flea 30, 129, 191, 387–88, 479, 483–84
seasonal abundance on Gray Squirrels 483
pocket gopher 129
fly 58–59, 61–62, 152–54, 191
black 56
bot 480, 489–93
deer 8, 481, 502–05
face 195–210
gad 191
horn 201
horse 8, 481
house 151–55, 191, 196, 200, 202–04, 232–34, 561–62
River Negro horse 519–21
salt marsh green 61
sand 75–88, 183–85, 188–89, 245–64, 522–28
screwworm ... 122, 235–41, 265–67
on Curaçao 265
sterile male challenge 235
stable 186, 196, 232
forensic entomology 190
Formica polyciena 191
fungus 333–37
Gahrliepia 36–37
cuspidata 37
insigne 37
lewthwaitei 37
neterella 37
rustica 37
rutila 37
sp. 38
turmalis 37
gastroenteritis 417
Geomydoecus 126–45
revision of fauna on Geomys bursarius 126
birneyi 302, 304, 312–13
californicus 131, 145
chapini 144
chapini minor 299
copei 145
dalgleishi 142
dickermani 306, 308, 312–13
group 299, 306, 311–13
ewingi 138–42
expansus 144
geomydis 126–31, 133, 136–37, 139–44
geomydis 127, 129
subgeomydis 129, 137
heaneyi 136–39, 141–43
illinoensis 130–31, 136, 139–42
johnhafneri 309, 312–13
markhafneri 308, 312–13
minor 299, 302, 312–13
taxonomic review 298
complex 298–313
mobilensis 141–42
nebrathkensis 132–33, 139, 141–42
neocopei complex 298
oklahomensis 129–33, 135–39, 141–44
complex 131–33, 135, 140
orizabae 308–10, 312–13
quadridentatus 141–42
scleritus 142
spickai 135–36, 139–42
subgeomydis 137–42
texanus 142
texanus 142
tropicalis 142
timmi 305, 312–13
truncatus 142
williamsi 308, 312–13
zacatecae 304, 312–13
gnat 191–92
grub, cattle 30
Guntheria newmanni 478
phascogale 478
smithi 478
weedunnarti 478
Haemaphysalis 22
bispinosa 391
chordeilis 315, 317
leachi 380
leporispalustris 22, 24–28, 93, 315, 317, 474–75, 479
Haematobia irritans 201
Haematopinoides squamosus 144
Halarachne 352–59
americana 356–57, 359
erratica 357–58
halichoeri 352, 354–56, 359
laysanae 352, 357–59
miroungae 357–59
new species 352
otariae 357
taita 357–58
Halarachnidae 352–59
heartworm, canine 156
Hemiptera 70–74, 103–16, 165–71, 182
Hertigia 76–77, 85
Heteroptera 18–21
Heterotylenchus autumnalis 199
Hippoboscidae 291–97
Hister abbreviatus 199
Hoffmania 538, 543
Homoptera 191, 290
Hoplopleura sciuricola 483
Hoplopleuridae 144, 483
hormone, antijuvenile 18–21
precocene 18–21
Hyalomma anatolicum anatolicum 380
asiaticum asiaticum 380
impeltatus 380
marginatum isaaci 380
rufipes 380
spp. 380
truncatum 380
Hybomitra 61
affinis 60
epistates 61
illota 61
lasiophthalma 11–13, 59, 61
lateralis 59–60
lurida 60
nuda 60
typhus form B 60
zonalis 60
Hymenoptera 151–55, 198–99, 481–82, 491
Hyponomeuta malinellus 56
rorellus 56
Hyponygrus sp. 199
Iguanacarus 244, 529–32
alexfaini 529–30
amblyrhynchus 529–30
amersoni 530
danieli 530
intermedius 529–30
intranasalis 529–30
immunity 291, 391
insecticide, see pesticide
Ixodes 416
banksi 315, 318
brunneus 315, 318
cookei 93, 99, 314–15, 318, 321, 473
dammini 89–99, 315, 318, 321, 474
dentatus 93, 315, 319, 473–76, 479
new virus from 473
marxi 93, 315, 319
muris 89, 93, 315, 319
putus 360
ricinus 364
scapularis 89, 318, 479
texanus 93, 315, 319
uriae 360–66
viruses in 360

Ixodidae 18, 21, 22–29, 89–99, 117–21, 192, 287–89, 314–23, 360–66, 375–79, 391–97, 473–76, 555–60
  distribution in Connecticut 314–23
  vertebrate host relationships 314
Ixodoidea 380–82, 427–38
keratoconjunctivitis, infectious bovine 198
Lamellicornia sp. 199
Leeuwenhoekiinae 244, 324
Leishmania 79, 188
  braziliensis 188, 263, 527
    braziliensis 263
  mexicana 188–89, 263, 527
leishmaniasis 79, 245, 261, 263
Lepidoptera 191
Lepiselaga crassipes 519–21
Leptotrombidium 35–36, 38, 268
  arenicola 38
  bodense 36
  deliense 36, 38, 270
  fletcheri 38, 270
  vivericola 36
Linognathidae 15
Listrophoridae 424–26
  new species 424
louse 15, 30, 126–27, 129, 131, 133, 138–41, 143–44, 191, 291, 296, 298
  chewing 17
  deer biting 479
  head 191
  mouse 291
  pocket gopher 126, 144, 298
  sucking 483–84
Lutracarus canadensis 424–26
Lutzia 76
Lutzomyia 75–81, 85–86, 188, 245, 247, 252, 522–28
  development of *Leishmania* in 188
  host preferences 522
  amarali 82–83
  anduzei 245, 247
  antunesi 248, 253
  atroclavata 249, 260, 263
  baityi 245, 260, 263
  begonae 246, 250, 253
  camposi 524
  carpenteri 522–24
  cayennensis 248, 260
    species group 79
  ceferinoi 245, 261
  columbiana 245, 251, 254
  conviti 246, 249, 254
  delpozoi species group 79
  dendrophila 80, 245
  desymera 247, 252
  dysponeta 250, 253, 523
  evansi 250, 254, 263
  fischeri 245, 247, 252
  flaviscutellata 78, 80–81, 85–86, 248, 253, 263
  furcata 245
  gasparviennai species group 71
  gibsoni 245
  gomezi 80, 188–89, 249, 260, 263, 523–24, 527
  hernandezi 248, 253
  ignacioi 251, 260
  lichyi 251, 254, 263
  longipalpis 80, 249, 254, 261, 263
  longispina 80, 250, 253
  lutziana 251, 260
  maracayensis 245
  marajoensis 251, 260, 263
  micropyga 249, 260, 263
  migonei 251, 254, 263
  muneztovari 245, 260
  olmeca bicolor 523–24, 526–28
  oswaldoi 80
  ottolinai 250, 253
  ovallesi 250, 254, 263, 523–24
  panamensis 245, 247, 253, 261, 263, 522–24, 526–28
  parimaensis 245, 247
  pessoana 524
  pifanoi 245
  pilosa 245, 250, 253, 263
    species group 79
  punctigeniculata 249, 260, 263
  rangeliana 250, 253, 263
  sanguinaria 80, 188–89, 523–24, 526–28
  saulensis 245
  scorzai 250, 261, 263
  shannoni 245, 247, 252, 263
    species group 80
  squamiventris 247, 253
  townsendi 251, 254, 263
  trapidoi 523–24
  triacantha 80, 245, 250, 253
  trinidadensis 248, 261, 263, 524
  ubiquitalis 248, 253
  venezuelensis 249, 260, 263
  verrucarum 245, 251, 254
  vespertilionis 522–24, 526, 528
  vexator species group 80
  yencanensis 248, 260, 263
Lutzomyiinae 77
Lynxacarus 426
  mustelae 425–26
Macrocheles muscaedomesticae ... 199
Macronyssidae 545–54
  new genus 545
  new species 545
Macronyssinae 546
Macronyssoides 548
Macronyssus coreanus 548
  flavus 548
malaria 78, 193–95, 211–17, 570
  in rodents 193
Malaya 368, 370
Mallophaga .. 15–17, 126–45, 298–313
mange 344, 346
Mansonia 54–56, 184, 282
  africana 54–57, 183–84
  uniformis 54, 56–57, 183–84
Megaciella 218–20, 243
Mellinus sp. 199
Melophagus ovinus 291–97
  sheep resistance to 291
Mesostigmata 545–54
Microhymenoptera 170
midge, biting 191, 221–22, 224, 229, 533–44
mite (see also chigger) ... 33, 186–87, 344–47, 352–59, 398–410, 498–501, 529–32, 545–54
  demodectic 346
  ear canker 186
  mange 186
  nasal 506–08
  northern fowl 30
Mitonyssus 545, 548, 553
  molossinus 545, 549–50, 554
  noctilio 546, 548, 550, 552–54
Moraxella bovis 198
mosquito 1–7, 40–41, 43–47, 49–51, 53–57, 63, 65–66, 69, 74, 85, 100–02, 122, 146–49, 156–63, 172–76, 178–81, 183–85, 191, 211, 215, 282–85, 328–43, 348–51, 367–74, 383–84, 411–16, 439–42, 444, 446, 453–72, 485–88, 502, 505, 509–14, 519, 563–69
  chemical light trap for 183
  feeding behavior 1
  mate finding behavior 54
  new species 178
  olfactory sensilla 54
  western treehole 156–64
moth 267
  clothes 191
Musca autumnalis 195–210
  biology and control 195
  domestica 151–55, 196, 232–34, 561–62
    control with permethrin strips 232
    effects of CO_2 on sexual behavior 561
    parasites of 151
Muscidae 151–55, 195–210, 232–34, 561–62
Muscidifurax raptor 152–54, 199
mycoplasma 194
myiasis 265–67
Myobiidae 498–501
  new species 498
Nasonia vitripennis 152–54, 199
Nematocera 58, 229
Nematoda 199
Nematode, filarioid 221
Neohaematopinus sciuri 483
Neomegistus 398
  australicus 398
Neophlebotomus 76
Neotrombicula 243
Nosema sp. 212, 214
Nosopsyllus fasciatus 479
Nyssomyia 76, 80–81, 246
Oaxacarus 242–44
  geophis 242, 244
Odontopsyllus multispinosus 479
Oecacta 538, 543
Onthophagus gazella 199

Ophiomegistus 398–410
new species and key to 398
alainae 398, 400, 410
armouri 398, 410
australicus 403, 407–10
brachymeleus 398, 401, 410
brennani 398–99, 405, 407, 409–10
buloloensis 409
clelandi 398, 403, 406–10
kaii 398, 410
keithi 398, 401, 410
luzonensis 398, 403, 407–10
mabuyae 398–99, 401, 410
nihi 398, 403, 406–08
novaguinea 398, 406, 409–10
radovskyi 398–400, 410
samuelsoni 398–401, 410
sarawakensis 398, 403, 407, 410
Ophthalmognathus *dogieli* 506
schoutedeni 506
tenorioae 506
Ophyra leucostoma 154
Orchopeas howardii 483
Ornithodoros 436
capensis 380–81, 438
collocaliae 438
compactus 436
coniceps 438
coriaceus 18
darwini 427–38
description of ♂, ♀ and nymphs 427
denmarki 381
galapagensis 427–38
description of ♂, ♀ and nymphs 427
maritimus 381, 438
muesebecki 438
sp. near denmarki 434
talaje 436, 438
tholozani 74
Ornithonyssinae 546
Ornithonyssus latro 548
Orthohalarachne 352
attenuata 352
Orthoptera 191
Pachycrepoideus vindemiae .. 152–54
Panstrongylus megistus 70–74
repellents against 70
Paramegistidae 398–410
Paramegistus 398
Paraphlebotomus 80
Parasteatonyssus 546
Parvidens 84
Pavlovskyella 436
Periplaneta americana 421
pesticide 30–34, 74, 112, 200, 232, 390
acaricide 1, 30–34, 375–79
Asuntol 376
azinphosmethyl 200–01
Bacdip 376
barthrin 200, 205
Basudin 376
Bayer 9037 376
Bayer 22408 204
Birlane 376
bromophos-ethyl 376
carbamate 200, 375
carbaryl 201, 376
carbophenothion 376
chlorfenvinphos 201, 376, 378
chloropyrifos 376
Co-Ral 376
coumaphos 200–02, 204, 376
crotoxyphos 201–02
Cygon 376
DDT 74, 200–01, 244
DDVP 112
Delnav 376
diazinon 200, 204, 376
dichlorvos 200–04
dieldrin 375
dimethilan 201
dimethoate 30–34, 200–01, 376
dimethrin 205
dioxathion 376, 378
d-trans-allethrin 200
Dursban 376
Ectoral 346
endrin 200
fenitrothion 100
fenthion 202
Garrathion 376
lindane 201, 375
Lorsban 376
malathion 200–01, 203
methoprene 205
methoxychlor 200–01
naled 200
Nexagan 376
OKO 112
organochlorine 200, 375–79
organophosphate 200
organophosphorus 375
parathion 200
permethrin 200, 232–34
phosmet 200
piperonyl butoxide 200–01
propoxur 201, 565
Pyramat 201
pyrethrin 200, 202
quintiofos 376
resmethrin 232
Ro 20-3600 205
Rogor 376
ronnel 200–01, 204, 346
Roxion 376
Sevin 376
stirofos 201–04
Supona 376
terpene polychlorinate 200
tetramethrin 200
toxaphene 200–02, 375
trichlorfon 200, 203
Philonthus cruentatus 199
rectangulus 199
Phlebotomidae 77
Phlebotominae 75–88, 183–84, 245–64, 522–28
classification of 75
Venezuelan 245
Phlebotomus 75–81
argentipes 80
brevifilis 82
chinensis 80
gigas 84
longipalpis 76
panamensis 76
papatasi 80
sergenti 80
squamiventris 76
Phycomycetes 199
physiological age, in Culex salinarius 485
pinkeye 198
Pintomyia 246
plague, bubonic 35, 191, 387–88
Plasmodium 193, 422
falciparum 215
malariae 215
vivax 215
Polyplacidae 483
Polyplax serrata 296
Pressatia 80, 246
Prophlebotomus 77
Prosimulium 61
mixtum 59, 61
Prostigmata 324–27, 498–501, 529–32
Pseudomonas aeruginosa 514
Psorophora ciliata 40
columbiae 40
ferox 328–32
acquisition of sugars 328
seasonal occurrence 328
Psoroptes cuniculi 186–87
ingestion of erythrocytes 186
ovis 186–87
Psoroptidae 186–87
Psychodidae 75–88, 188–89, 245–64, 522–28
Psychodopygus 75–88, 246
amazonensis 80
aragaoi group 76
arthuri 78
bispinosus 80
carrerai 80
complexus 80
davisi 80
dreisbachi species group 76
guyanensis 80
hirsutus 80
lainsoni 80
panamensis 78
paraensis 80
squamiventris 78
wellcomei 80
Pteromalidae 151–55, 503
Pulex sp. 479
radiation sterilization 122
Raillietia 352
Raillietiinae 352
Reduviidae 70–74, 103–16, 165–71, 182
repellent 30, 70–74, 202
Bioallethrin 70, 72–74
butoxypolypropylene glycol 202
deet 72, 74

diethyl-*m*-toluamide 72
phthalate 72, 202
DMP 72, 74
EHD 72, 74
hexanediol 202
Indalone 74
M-1960 73
MGK 326 202
MGK-874 202
MGK R-11 202
MGK R-264 202
MGK R-326 202
MGK R-1207 202
permethrin 70, 72–74
pyrethrum 70, 72–74, 100–02, 104
Tabatrex 202
Rhabdoviridae 473
rhabdovirus, see virus
rhinotracheitis 198
Rhipicephalinae 364
Rhipicephalus 378
appendiculatus 375, 559
cuspidatus 380
evertsi evertsi 380
guilhoni 380
muhsamae 380
sanguineus 18–19, 21, 93, 315, 319, 321, 380, 391
spp. 380
sulcatus 380
Rhodnius pallescens, sylvatic hosts of 182
prolixus 112–14, 165–71
effect of density on 165
rickettsia 26
spotted fever group 321
Rickettsia canada 36
prowazehi 36
rhipicephali 321
rickettsii 22, 321
sibericus 36
tsutsugamushi 35–39, 270
typhi 36, 388
Sabethes 282
Salmonella enteritidis Typhimurium 417–23
Salmonellosis 417
Sarcophagidae 199, 266
sawfly 191
schistosome 422
schistosomiasis 296, 570
Schoengastia 268–81
brennani 280
cantonensis 272, 280
diannae 270, 279–80
hanmyaensis 280
huxsolli 270, 280
jamesi 280
kanhaensis 272, 280
palmata 280
philipi 270, 272, 280
plumosa 274, 280
pobsa 280
propria 270, 280
pseudoschuffneri 280
psorakari 268, 280
roselli 280
saurella 280
schuffneri 268, 270, 280
shihwanensis 280
sp. A 280
taylori 270, 274, 280
tricoxalae 280
vandersandei 268, 270, 272, 280
vieta 268, 270, 280
whartoni 270, 274, 280
yunnanensis 280
Sergentomyia 76–81, 85–86
minuta 80
sp. 184
squamipleuris 77
Setaria yehi 156
Shannonomyia 76
sheep ked 291
silverfish 192
Simuliidae 58–62
host-seeking responses 58
Simulium 61
venustum/verecundum 61
Sintonius 80, 84
Siphonaptera 387–88, 483–84
Siseca rara 37
Solenopotes 15
ferrisi 16–17
Spalangia 155
cameroni 152–55
endius 151–55
niger 199
nigra 154
nigroaenea 152–54
undescr. sp. near drosophilae 152–54
Speleognathinae 506–08
Sphaeridium lunatum 1991
scarabaeiodes 199
spider 191–92, 267
araneid 290
black widow 191
spiroplasma 194
Staphylococcus aureus 480
Steatonyssus 546, 548
furmani 546
Stegomyia 333–37, 371, 411, 415
Stenochlorops 519
Stenotabanus 519–21
Stomoxys calcitrans 186, 196, 232, 396
Suaymyia 178–81
Tabanidae 8–14, 58–62, 481–82, 502–05, 519–21
autogeny in 519
embryonic development 8
host-seeking responses 58
new species 519
oogenesis 8
Tabanus 61
abdominalis 11
americanus 12
atratus 9–13
calens 11–12
cymatophorus 12
fuscicostatus 10–12
lineola 11, 481
nigrovittatus 481–82, 502–04
parasitism by Hymenoptera 481
proximus 11
reinwardtii 481
stygius 9–13
subsimilis 10, 12–13
sulcifrons 12
venustus 9–13
wilsoni 13
techniques
effect of CO_2 on house flies 561
feeding apparatus for fleas 387
rearing
Culicoides variipennis 385
effects of sex ratio and stocking rate on egg production 563
separator for mosquito stages 567
traps
chemical light trap for biting insects 183
pipe trap for *Culex* 348
Teruliini 290
Thelazia 198
gulosa 198
lacrymalis 198
rhodesi 198
skrjabini 198
Thomomydoecus 298, 302, 304–06, 308–09
tick 18–29, 74, 89–99, 117–20, 191–92, 194, 291, 314–23, 360–66, 375–82, 391–97, 416, 427–38, 473–76, 479–80, 555–60
infestation patterns on hares 22
paralysis 480
seasonal activity on hares 22
American dog 22, 316, 392
argasid 192
brown dog 321
cattle 117, 287–89
dog 18
fowl 18
rabbit 22, 24–27
southern cattle 117–21, 287
tropical horse 119
winter 119
Topomyia 178
argyropalpis 178
barbus 178
cristata 181
dejesusi 178
hernandoi 178
imitata 178, 181
pseudobarbus 178
rausai 178–81
Toritrombicula 530
Toxorhynchites 342, 515–16, 568
amboinensis 338–43, 515–18
biology 515
brevipalpis 51, 439–41, 516–17
prey consumption 439

ultrastructure of adult abdominal setae 51
conradti 517
kaimosi 517
manicatus 517
rutilus rutilus 466–72
predation on *Aedes aegypti* 466
septentrionalis 517
ruwenzori 517
sp. 181, 414
splendens 515–18
Toxorhynchitinae 57
Triatoma barber 103–16
biology and behavior 103
dimidiata 112, 114–15
maculipennis 103
infestans 112
Triatominae 70, 103–04, 113–16, 165, 182
Trichodectes geomydis 126
Trichodectidae .. 15, 126–45, 298–313
Tricholipeurus 15
lipeuroides 15–17
parallelus 15–17, 479
Trichonyssus 546, 548
australicus 546
Trichophoromyia 76
baityi group 245
cayennensis cayennensis 246
group 246
longispina group 246
migonei group 246
oswaldoi group 246
pilosa group 246
verrucarum group 246
vexator group 246
Trichopria sp. 481–82
sp. near tabanivora 482
tabanivora 481
Tripteroides sp. 181
Trombicula sp. 479
Trombiculidae 30–34, 218–20, 242–44, 268–81, 286, 324–27, 477–78, 494–97, 529–32
Trombiculinae 244
Trypanosoma cruzi 103–16, 182
leonidasdeanei 528
rangeli 182
tsetse 390
tularemia 8, 480
typhus, chigger-borne 38
scrub 30, 35, 37–38, 218, 268, 270, 324
ultrastructure
setae in Toxorhynchites 51
Vatacarus 529–30
ipoides 529
kuntzi 529
Vespa sp. 199
Vespula germanica 199
Viannamyia 76
virus 1–7, 18, 99, 172–76, 221, 285, 338–43, 360–66, 380, 384, 462
Alfuy 363
alpha 339
Apoi 363
Arumowot 341
Baku 362
Banzi 363
Bauline 362
B serogroup 360
bunyavirus 339
Bussaquara 363
Cache Valley 341
Cape Wrath 362
complex 365
Chandipura 341
Changuinola 341
Chenuda 362
complex 364
Chikungunya 175, 341–42
Connecticut 473–76
Coriparta 341
coronavirus 361, 363–64
Cowbone Ridge 363
Dakar bat 363
dengue ... 5, 338–41, 342, 363, 515
eastern equine encephalitis 341, 442–65
Edge Hill 363
encephalitis 321
Entebbe bat 363
flavivirus 339, 361
Getah 341
Great Island 362
Highlands J 442–43
Huacho 362
Hughes serogroup 381
IBR 198
Ilheus 363
Israel turkey meningitis 363
Japanese encephalitis 5, 172, 176, 338, 341–42, 364
Japanese B encephalitis 363
Jutiapa 363
Kadam 363
Karimabad 341
Karshi 363
Kemerovo 362
serogroup 360–61, 363–65, 380
Kokobera 363
Kunjin 341, 363
Kyasanur Forest disease 363
La Crosse 1–7, 341
Langat 363
Lipovnik 362
Louping ill 363
Modoc 363
Mono Lake 362
Montana myotis leuko-encephalitis 363
Murray Valley encephalitis 363
Mykines 362
Negishi 363
New Minto 475
Ntaya 363
Nugget 362
Okhotskiy 362–63
Omsk hemorrhagic fever 363
orbivirus 339, 361, 380
Pacui 341
Paramushir 360
Phnom Penh bat 363
Powassan 99, 314, 321, 353, 473
Punta Toro 341
rhabdovirus 339
Ross River 341
Runde 360, 364
Saboya 363
Sakhalin serogroup 360, 364
San Angelo 341
Saumarez Reef 361
Sawgrass 475
group 473–76
Seletar 380
Sicilian 341
Sindbis 341
Sokuluk 363
Soldado 380–82
spondweni 363
St. Louis encephalitis 68, 282–85, 341, 363, 466
stratford 363
Tembusu 363
tick-borne encephalitis
Central European 363
Far East 363
Tindholmur 362
Tribec 362
Tyuleniy 361, 363–64
Uganda S 363
U.S. (Burns) bat 363
Usutu 363
Uukuniemi serogroup 360–62, 364–65
vesicular stomatitis
New Jersey 341
Wad Medani 362, 380–82
complex 364
Wesselsbron 363
West Nile 172–77, 341, 363
western equine encephalomyelitis 156, 172, 453, 466
east-coast strain 442
Yaquina Head 362
yellow fever 5, 363, 367, 414–15
Yokose 363
Zika 363
Vorticella 373
Walchia 37
Walchiella nadchatrami 37
oudemansi 37
Warileya 76–77, 81, 85
hertigi 82–83
wasp 481–82, 491
Whartonacarus 244, 530
Whartonia 324–27, 494–97
brevis 324, 326
dewitti 324, 327
hainana 324
kulumadouensis 494
maai 494
penthetor 494–97
redescription of 494

senase 324
teongwahi 326
whartoni 324
Worcesteria *grata* 516–17
worm, body 156
eye 198
Wyeomyia 55, 282
aporonoma 56
smithii 54, 56
Xenopsylla cheopis 388
Xyalophora quinquelineata 199
Yersinia pestis 387–88

VERTEBRATE INDEX

Actophilornis africanus 218
ralloides 218
Aix sponsa 449
Alca torda 360
Amblyrhynchus cristatus 427, 434, 530
Ambystoma laterale 451
maculatum 451
amphibian 267, 451, 461, 522, 524, 526, 528
Anas acuta 449
americana 449
crecca 449
discors 449
platyrhynchos 449
rubripes 449
Anisomys imitator 270
Anous stolidus 381
Ant-Chat 380
anteater 182
Collared 182
Antechinus naso 270
wilhelmina 270
Antelope, Sable 560
Aratinga pertinax 526
Ardea cinerea 218
Ardeola idae 506
ralloides 218
armadillo 84, 263
Nine-banded 106
Ateles fusciceps 526
Aythya affinis 449
americana 449
collaris 449
marila 449
valisineria 449
baboon 266, 412
bandicoot 269
Bandicota bengalensis 269
indica 269
bat 104, 106, 182, 263, 324, 326, 438, 450, 522, 524, 526–27, 546, 548
Big Brown 450
Dog-faced Fruit 497
El Salvador Sheath-tailed 528
fruit 494–97
Greater Naked-backed 494
Horseshoe 326–27
Keen's Myotis 450
Little Brown Myotis 450
Roundleaf Horseshoe 327
Trobriand Naked-backed Fruit 494
Beaver 315, 318, 450
bird 22, 26–27, 65, 68, 98, 105–07, 110, 151, 182, 199, 218–20, 267–69, 280, 285, 314–15, 317–20, 436, 438, 443, 453, 459, 464, 474–75, 506–08, 522, 524, 526, 528–29
land 451
marine 435, 529–30
passeriform 106, 156, 459, 464
shore 451
water 451, 530
bison 196, 198
blackbird 451
Blarina brevicauda 93, 315, 450
Bluebird, Eastern 451
Boa constrictor 526
Bobolink 451
Bonasa umbellus 26
Bos 315
Bovidae 101, 107–10, 114, 198
Bradypodidae 182
Bradypus infuscatus 526
Branta canadensis 449
Bucephala albeola 449
clangula 449
Bufo americanus americanus 451
marinus 526
Bullfrog 451
Callosciurus nigrovittatus 37
notatus 269
Calotes versicolor 269
Caluromys derbianus 182, 526
canine 194
Canis familiaris 269, 315, 526
carnivore 318–19, 450, 522, 526, 528
Carollia perspicillata 526
Cassidix mexicanus major 199
Castor canadensis 315, 450
cat 95–110, 114, 315, 317, 319
Catbird 318
cattle 13, 61, 102, 106, 108, 117, 152–53, 186, 194–98, 200–06, 216, 221–30, 233–34, 266, 287, 315, 375, 559
Cavia porcellus 553
Cebus capucinus 182, 526
Centrococcyx javanicus 269
Centropus sp. 269, 280
superciliosus 218
Cercopithecus mona 368
Charadriiformes 461
Chelydra serpentina serpentina 451
chicken 43–45, 70, 104–07, 109–12, 123, 151–53, 165, 182, 194, 282–85, 368, 371, 373, 526
Chipmunk, Eastern 94–97, 315–19, 450
Chlidonias niger 449
Choloepus hoffmanni 182, 526–27
Chrysemys picta marginata 451
Ciconiiformes 461
Clangula hyemalis 449
Clethrionomys gapperi 26, 92, 96, 315
Coendou rothschildi 526
Columba livia 526
Columbidae 108
Condylura cristata 450, 499
Conolophus pallidus 427, 434
subcristatus 427, 429, 434
Cormorant, Double-crested 449
Cottontail, Desert 479, 489
Eastern 93, 315–19, 450, 474–75, 479–80
ectoparasites of 479
Cracidae 182
Cratogeomys castanops 144
merriami 144
irolonis 144
perotensis estor 144
sp. 144
Cricetomys gambianus 368
Crocethia alba 529
Cryptoblepharus boutoni 269
Ctenotus inornatus 270
curassow 182
Cyanocitta cristata 315
Cystophora cristata 359
Dasyprocta punctata 526
Dasypus novemcinctus 106
Dasyuridae 477–78
deer 15–17, 93, 95, 156, 198, 316, 318–21, 346, 559
Black-tailed 17
Mule 15–17
ectoparasites of 15
White-tailed 15–17, 93–95, 97–98, 314–15, 344, 450
ectoparasites of 15
Desmanus moschata 499
Didelphidae 182
Didelphis marsupialis 106, 109, 111, 182, 526
virginiana 95, 315, 450
Dipodomys 106
merriami 286

Dobsonia moluccensis 494
pannietensis remota 494
dog 93–95, 103, 106–10, 114, 265–67, 315–21, 344, 346
donkey 106, 109–10, 114
Dorcopsis veterum 274
Dorcopsulus vanheurni 274
dove 106, 108
duck 442
American Wigeon 449
Black 449
Black Scoter 449
Blue-winged Teal 449
Bufflehead 449
Canvasback 449
Common Goldeneye 449
Common Merganser 449
diving 449
Greater Scaup 449
Green-winged Teal 449
Hooded Merganser 449
Lesser Scaup 449
Mallard 449
Oldsquaw 449
Pintail 449
Red-breasted Merganser 449
Redhead 449
Ring-necked 449
surface-feeding 449, 451
Surf Scoter 449
White-winged Scoter 449
Wood 449
Dumetella carolinensis 318
Dunnart, White-footed 477–78
Dymecodon pilirostris 499
Echimyidae 182
Echinosciurus rigidus 144
Echymipera kalubu 269
edentate 522, 526, 528
Egret, Plumed 218, 220
Egretta intermedia 218, 220
Emoia sp. 403, 409
Enhydra lutris 357, 359
Eptesicus fuscus 450
equine 228
Equus caballus 315
Erethizon dorsatum 26, 315, 450
Ermine 450
Erythrocebus patas 368
feline 194
Felis catus 269, 315, 526
finch, Galápagos 427
flycatcher 451
fowl, domestic 442
fox 97, 320
Gray 96–97
Red 96–97, 315, 318, 450
Fratercula arctica 360
frog 106
Green 451
Northern Leopard 451
Pickerel 451
Wood 451
Galemys pyrenaicus 499
Gavia immer 449
Geomyda annulata 526
Geomyidae 126–45, 298–313
Geomys 126, 137–39, 141, 144
arenarius 141–42
breviceps 138, 144
breviceps 144
bursarius 126, 139, 144–45
attwateri 138–39, 141–42
brazensis 137–38
breviceps 139, 141–42, 144
bursarius 128–29, 140, 142, 144
complex 126–45
dutcheri 130
illinoensis 130, 140, 142, 144
industrius 131, 140, 142–43
jugossicularis 131, 140, 142–43
knoxjonesi 131, 140, 142–43
llanensis 136–37, 142–43
ludemani 138
lutescens 131–33, 135, 140, 142–44
major 130–32, 138–40, 142–44
majusculus 128–29, 140, 142, 144
missouriensis 135–36, 140, 142
sagittalis 137–39, 141–42, 144
terricolus 138
texensis 136–37, 142–43
wisconsinensis 128–29, 140, 142, 144
colonus 142
cumberlandius 142, 144
fontanelus 142
lutescens 138, 144
mexicanus 144–45
personatus 142
fuscus 142
tropicalis 144
pinetis 142
mobilensis 142
sp. 144
tropicalis 142, 144
Geophis anocularis 242, 244
Geospiza fuliginosa 427
Glaucomys sabrinus 315
volans 92, 96
goat 106, 108, 191, 221, 228, 265–66, 368, 371, 373
Goose, Canada 449, 451
gopher 129, 140
Botta's Pocket 156
Plains Pocket 126, 133, 136
pocket 126–31, 136–39, 143–44, 298
pouched 144
Grackle, Boat-tailed 199
Purple 315
Grebe, Horned 449
Pied-billed 449
Red-necked 449
Grouse, Ruffed 26
Gruiformes 461
guan 182
guinea pig 22, 30, 158, 373, 391, 475, 485
Hartley 473
Gull, Bonaparte's 449
Great Black-backed 449
Grey-headed 380
Herring 449
Ring-billed 449
Halichoerus grypus 357, 359
hamster 188–89, 263
Golden 188
hare 22–27
Snowshoe 22–29, 475
hawk 451
Hemidactylium scutatum 451
Herpestes javanicus 269
Heteromyidae 106
Hipposideros larvatus neglectus 327
Hippotragus niger 560
Holbrookia maculata 286
horse 13, 16, 81, 106, 198, 200, 203, 221, 227–29, 315, 317, 319, 442, 454, 460, 463, 538
Hyla crucifer crucifer 451
versicolor 451
Hylocichla mustelina 315
Iguana iguana 526
marine 529–30
iguanid, land 427, 434
marine 427, 434
insectivore 450, 498–501
Iomys horsfieldi 37
Jay, Blue 315
Killdeer 451
Kinosternon leucostotum 526
Kittiwake, Black-legged 360
Kobus ellipsiprymnus 560
lagomorph 22, 319, 450, 475
Lampropeltis triangulum triangulum 451
Lariscus insignis 37
Lark, Horned 451
Larus argentatus 449
cirrhocephalus 380
delawarensis 449
marinus 449
philadelphia 449
Laticauda colubrina 529–30
laticaudata 529–30
spp. 529
Leiolepisma 269, 274
Lepidodactylus lugubris 269
Leptodactylus pentadactylus 526
Leptonycteris nivalis 144
Lepus americanus 22, 475
californicus 156, 286
sp. 269, 274
lizard 114, 182, 267, 269, 286, 398, 409
Galápagos iguanid 427–38
lava 427, 434
Lesser Earless 286
Sun 280
Loon, Common 449
Lophodytes cucullatus 449
Lutra canadensis 424–26
Lygosoma albentisii 269, 274
Mabuya dissimilis 269

multifasciata 400, 405, 409
sp. 269, 280
Macrogeomys heterodus 144
Macropus coxeni 269, 274
Macrotomys heterodus 144
mammal 22, 26–27, 36, 38, 54, 65, 68, 81, 84, 89, 93–99, 105–07, 110–11, 114, 144, 160, 182, 188, 191, 267–68, 315, 317–21, 412, 436, 438, 451, 461, 473, 522, 524, 526–27
man 26, 30, 35, 61, 68, 70, 79, 81, 84, 89, 95, 99, 101, 103, 106–07, 109–12, 114–15, 161, 163, 172, 188, 191, 194, 196, 198, 211, 218, 263, 265–70, 285–86, 314–15, 317–21, 324, 328, 367, 371, 373, 411, 414–15, 417, 422, 438, 442, 444, 454, 464, 476, 533, 538
Marmoset, Geoffroy's 182
Marmota monax 96, 315, 450
marsupial 522, 526, 528, 450, 477–78
Martin, Purple 451
Megapodius sp. 269
Melanitta deglandi 449
nigra 449
perspicillata 449
Melomys sp. 270
Melospiza melodia 318
Mephitis mephitis 93, 315, 450
Mergus merganser 449
serrator 449
Microtus californicus 156
pennsylvanicus 26, 95, 315, 450
pinetorum 93, 96, 315
Mink 315, 450
Mirounga angustirostris 358–59
leonina 359
mole 499
Star-nosed 450
Molossus ater 550, 552–53
bondae 553
molossus 550, 553
sp. nr molossus 550
spp. 554
Monachus schauinslandi 356, 359
tropicalis 356, 359
monkey 367–68, 371, 373, 411–12, 414
mouse 1–2, 107, 113, 122–23, 172–73, 175, 291, 296, 338, 341, 360–62, 383, 386–88, 473–75, 487
Deer 450
House 111, 450
laboratory 38, 212
Meadow Jumping 93, 450
Plateau 111
Swiss 173, 473
white 105
White-footed 28, 94–99, 315–19, 321, 450
Woodland Jumping 315, 450
Mudpuppy 451
Muridae 107–09, 114, 280
Murre, Common 360, 364
Thick-billed 364
Mus 106
musculus 106, 111, 450
muskrat 318, 450
Mustela erminea 450
frenata 93, 314–15, 450
longicauda 132
primulina 129
spadix 129
vison 315, 450
Mustelidae 425
Myotis keenii 450
lucifugus 450
nigricans 553
Myrmecocichla aethiops 380
Myrmecophagidae 182
Napaeozapus insignis 315, 450
Natrix piscator 269
sipedon sipedon 451
Necturus maculosus 451
Neotoma 106
albigula 286
floridana 315
lepida 286
Nesokia bengalensis 269
Neurotrichus gibbsii 498–501
nightjar 269
Noctilio labialis 549–50, 554
Nycticorax nycticorax 218, 506
hoactli 506
Nyctomys sumichrasti 182
Odobenidae 352
Odocoileus hemionus 15–17
columbianus 17
virginianus 15–17, 93, 314–15, 450
Ondatra zibethicus 286, 450
Opheodrys vernalis vernalis 451
opossum 103–04, 106, 109, 111, 113–14, 182
Common 182
Virginia 95–96, 315, 317–19, 321, 450
Woolly 182
Ortalis cinereiceps 526
Orthogeomys hispidus
chiapensis 145
teapensis 145
torridus 145
Oryctolagus cuniculus 269, 392
Oryzomys capito 188
Otariidae 352
Otter, River 424–26
Ovenbird 315
owl 451
Pappogeomys 144
castanops 144
excelsus 144
gymnurus 144
irolonis 144
merriami 144
perotensis estor 144
Parascalops 144
Passer domesticus 506
Peeper, Northern Spring 451
Penthetor lucasi 497
Perognathus baileyi 286
formosus 286
penicillatus 286
sp. 286
Peromyscus 106
leucopus 28, 94, 315, 450
maniculatus 450
melanophrys 111
Peroryctes longicauda 270
Phaethon rubricauda 269, 529
Phalacrocorax auritus 449
Phascolosorex dorsalis 270
sp. 270
pheasant 105, 442
Crow 280
Phoca vitulina 359
richardii 358
Phocidae 352
Phyllostomus hastatus 553
pig 106, 109–10, 196, 233–34, 266
pigeon 106, 108, 438, 526
pinniped 352
Pipilo erythrophthalmus 93
Platygeomys gymnurus 144
Plethodon cinereus cinereus 451
Podiceps auritus 449
grisegena 449
Podilymbus podiceps 449
Porcupine 26, 315–18, 321, 450
Potos flavus 526
primate 194, 522, 526, 528
Procyon cancrivorus 526
lotor 26, 93, 314–15, 450, 475
Proechimys semispinosus 182, 526–27
Psittirostra cantans 269
Puffin, Atlantic 360
Puffinus nativitatis 269
Quiscalus quiscula 315
rabbit 22, 27–28, 70–73, 105, 160, 182, 186–87, 286, 393, 396, 474–75, 479–80, 489, 555–60
effect of Amblyomma hebraeum on 555
Black-tailed Jack 156
Cottontail 28, 489
New Zealand 473
albino 392
white 186
Raccoon 26, 93, 95–96, 314–20, 450, 475
Rana catesbeiana 451
clamitans melanota 451
palustris 451
pipiens 451
rana 106
sylvatica 451
rat 31–32, 36, 70–72, 107, 218, 269, 272, 368, 371, 392–93, 395–96
Hispid Cotton 30, 111
Norway 450
Rice 188
Roof 111, 272
Spiny 182, 188
Sumichrast's Vesper 182
Rattus 106
argentiventer 31, 280
bowersi 270

cremoriventer 37
flavipectus 269
muelleri 37, 280
niobe 270
norvegicus 92, 96, 392, 450
rajah 36
rattus 106, 111, 269–70, 272, 280
brunneusculus 269
diardi 268–69, 280
ruber 270
sabanus 37
sp. 269, 274, 279
surifer 37
tiomanicus 31–32
jalorensis 280
whiteheadi 37
Razorbill 360
Redunca arundinum 560
reedbuck 560
reptile 263, 268, 280, 427, 436, 451, 461, 522, 524, 526, 528
Rhinolophus acuminatus sumatranus 327
affinis 326
Rissa tridactyla 360
Robin 315, 451
rodent 22, 30, 32–33, 35, 38, 104, 106, 111–15, 126–45, 193–94, 263, 268, 286, 290, 298–314, 316–19, 324, 373, 387, 450, 522, 524, 526–27
cricetine 106, 108–11, 115
malaria 193
murine 106, 108, 110, 112
Saccopteryx bilineata 528
Saguinus geoffroyi 182, 526
Salamander, Blue-spotted 451
Four-toed 451
Red-backed 451
Spotted 451
Sapajou, White-faced 182
Sauria 182
Scalopinae 499
Scalopus 144
Scapanus townsendii 499
Sceloporus magister 286
Sciuridae 98, 182
Sciurus carolinensis 93, 315, 450, 483–84
variegatoides rigidus 144
seabird 270, 360–66, 381
seal, Caribbean Monk 356
elephant 352
fur 352
Grey 352
Harbor 352
Hawaiian Monk 352–59
monk 352
Southern Elephant 359
sea lion 352
California 344–47
Seiurus aurocapillus 315
sheep 16, 186, 194, 198, 222–30, 235–37, 240, 291–97, 380
Shrew, Masked 94
Short-tailed 94, 315–16, 318, 450
tree 36, 272
shrew-mole 498–501
Sigmodon 106
hispidus 106, 111, 526
skink 398, 400, 403, 405, 407, 409
Skunk, Striped 93, 95–96, 315, 317–18, 321, 450
sloth 182
Two-toed 182, 527
Sminthopsis leucopus 478
snail, land 32
snake 182, 267, 269, 398
amphibious sea 529–32
colubrid 242
Eastern Garter 451
Eastern Milk 451
Eastern Smooth Green 451
Northern Brown 451
Northern Red-bellied 451
Northern Ribbon 451
Northern Water 451
Sorex cinereus 94
fumeus 92, 96
sparrow 451
House 506
Song 318, 451
White-throated 26
Spermophilus beecheyi 156
Sphenomorphus pratti 407
squirrel 36, 182, 319
California Ground 156, 160
Gray 93, 95, 315–17, 319, 450, 483–84
fleas and lice on 483
ground 144
Northern Flying 315
Red 315, 317, 450
Starling 199, 451
Sterna caspia 449
fuscata 529
hirundo 449
Storeria dekayi dekayi 451
occipitomaculata 451
Sturnira lilium 553
Sturnus vulgaris 199
swallow 451
swiftlet, cave 438
swift 438
Sylvilagus audubonii 286, 479
sanctidiegi 489
vallicola 489
floridanus 93, 315, 450, 474, 479
spp. 489
Talpa 499
europaea 498–99
Talpidae 498–501
Talpinae 499
Tamandua tetradactyla 182
Tamias striatus 94, 315, 450
Tamiasciurus hudsonicus 92, 96, 315, 450
Tern, Black 449
Caspian 449
Common 449
Noddy 381
Sooty 529
Thamnophis sauritus septentrionalis 451
sirtalis sirtalis 451
Thecadactylus rapicauda 526
Thomomys 129, 144, 298–313
bottae 144–45, 156, 298
absonus 305
actuosus 299
affinis 305
alexandrae 301
alienus 301
alpinus 305
altivallis 305
angustidens 302
apache 301
aureus 301
awahnee 305
baileyi 301
basilicae 302
birdseyei 305
bottae 144, 305
cabezonae 305
catalinae 301
centralis 306
cinereus 306
collinus 301
confinalis 301
connectens 301
contractus 301
cultellus 301
curtatus 306
diaboli 306
dissimilis 305
divergens 302, 304
extenuatus 301
fulvus 301
fumosus 306
grahamensis 301
guadalupensis 301
hualpaiensis 301
hueyi 301
internatus 301, 305
jacinteus 306
jojobae 306
juarezensis 306
laticeps 144
latirostris 301
limitaris 301
limpiae 301
martirensis 306
mearnsi 301
mewa 144, 306
minor 306
modicus 301–02, 304
mohavensis 306
mutabilis 302
navus 306
neglectus 306
nigricans 305
operosus 302
optabilis 305
opulentis 302
osgoodi 305
pallescens 306
parvulus 302

peramplus ... 305
perpes ... 306
pervagus ... 302
pervarius ... 302
planirostris ... 306
proximus ... 302
retractus ... 302
rubidus ... 302
rufidulus ... 302
ruidosae ... 302
scotophilus ... 302
sturgisi ... 302
texensis ... 302
toltecus ... 302
tularosae ... 299
bulbivorus ... 144
bulvivarus ... 144
monticola ... 144
talpoides ... 144
umbrinus ... 298, 304
albigularis ... 309
arriagensis ... 304
atrodorsalis ... 304
burti ... 301, 304
chihuahuae ... 304
crassidens ... 304
durangi ... 304
emotus ... 301
enixus ... 304
goldmani ... 304
intermedius ... 301, 304
newmani ... 305
orizabae ... 308
peregrinus ... 306
potosinus ... 305
pullus ... 305
sonoriensis ... 302–03
tolucae ... 306
umbrinus ... 308
vulcanius ... 309–10
zacatecae ... 304
Thrasher, Brown ... 93
Thraupis episcopus ... 526
thrush ... 451
Wood ... 315
Thylogale ... 269, 274
brunii ... 274
Toad, American ... 451
tortoise, South African ... 436
Towhee, Rufous-sided ... 93
Toxostoma rufum ... 93
Treefrog, Gray ... 451
Tropicbird, Red-tailed ... 529
Tropidurus albemarlensis ... 427, 434
Tupaia glis ... 37, 269, 272
Turdus migratorius ... 315
turkey ... 104, 106, 109, 111, 115
Turtle, Common Snapping ... 451
Midland Painted ... 451
tuza ... 144
ungulate ... 450
Uria aalge ... 360
lomvia ... 364
Urocyon cinereoargenteus ... 96
Vampyrops helleri ... 550
Vermivora pinus ... 315
vireo ... 451
vole ... 98
California ... 156
Meadow ... 26, 95–99, 315–18, 450
Red-backed ... 26
Southern Red-backed ... 315–18
Woodland ... 315
Vulpes fulva ... 450
vulpes ... 96, 315
wallaby ... 269
Walrus ... 352
warbler ... 451
Blue-winged ... 315, 319
waterbuck ... 560
weasel ... 129, 144
Long-tailed ... 93, 99, 129, 144, 314–15, 318, 450
Woodchuck ... 96, 315, 317–18, 450
Woodrat, Eastern ... 315
yak ... 198
Zalophus californianus ... 344–47
Zapus hudsonius ... 93, 450
Zonotrichia albicollis ... 26

JOURNAL
OF
MEDICAL ENTOMOLOGY

Volume 17
1980

Published by
Department of Entomology, Bishop Museum
Honolulu, Hawaii, USA

EDITORIAL COMMITTEE

F. J. Radovsky, *Executive Editor*
JoAnn M. Tenorio, *Editor*
G. F. Bennett
B. N. Chaniotis
M. M. Crystal
R. H. Dadd
R. Domrow
K. C. Emerson
A. Fain
J. L. Gressitt
H. Hoogstraal
J. Kitzmiller
H. Kurahashi
G. C. LaBrecque
F. S. Lukoschus
C. J. Mitchell
M. Nadchatram
W. A. Nelson
M. W. Service
A. Spielman
R. Traub
Production Editors: Eileen D'Araujo, Keith Leber
Editorial Assistants: Dorothy Hoxie, Renée Johansen-Khan
Business Manager: W. Fitzgerald

Entomology Staff, Bishop Museum, 1980

Keith Arakaki, Gary Buelow, Candida Cardenas, Eileen D'Araujo, Neal L. Evenhuis, Raydeen Fujimoto, Wayne Gagné, Jill Glanstein, M. Lee Goff, J. L. Gressitt, Carol Higa (Admin. Asst.), Francis Howarth, Dorothy Hoxie, June Ibara, Renée Johansen-Khan, Keith K. Leber, T. C. Maa, Deborah Manning, Susan Masuda, Hans Megens, Denise Miyahana, Grace Nakahashi, Gordon M. Nishida, F. J. Radovsky (Chairman), Elizabeth A. Rice, Eddie O. Rosell, G. A. Samuelson, Shirley Samuelson, W. A. Steffan (Vice-chairman), Sabina Swift, JoAnn Tenorio, Mark Thomas. *Associates in Entomology, Bishop Museum: Honorary Associates:* J. Balogh (Budapest), J. W. Beardsley (Honolulu), F. A. Bianchi (Honolulu), J. M. Brennan (Honolulu), H. L. Carson (Honolulu), D. E. Hardy (Honolulu), H. Hoogstraal (Cairo), E. W. Jameson, Jr (California), N. L. H. Krauss (Honolulu), J. T. Medler (Honolulu), K. Sakimura (Honolulu), R. W. Strandtmann (Texas), J. J. H. Szent-Ivany (South Australia), R. Traub (Baltimore), K. Yasumatsu (Fukuoka), E. C. Zimmerman (Canberra). *Research Associates:* P. F. Bellinger (California), C. J. Davis (Honolulu), R. F. Forster (New Zealand), C. R. Joyce (Honolulu), N. A. Kormilev (New York), M. Maffi (Italy), E. N. Marks (Brisbane), P. F. Mattingly (London), W. C. Mitchell (Honolulu), Steven L. Montgomery (Honolulu), W. P. Mull (Hawaii), M. Nadchatram (Kuala Lumpur), Richard Papp (Honolulu), J. C. E. Riotte (Honolulu), K. Sattler (London), B. Sugerman (Honolulu), J. M. Valentine (Miami). *Field Associate:* A. B. Mirza (Papua New Guinea).

Printed by
Allen Press, Inc., Lawrence, Kansas, USA
© 1980 by the Bishop Museum

CONTENTS OF VOLUME 17

ACKERMAN, STEVEN, MARY FLOYD & DANIEL E. SONENSHINE—Artificial immunity to *Dermacentor variabilis* (Acari: Ixodidae): Vaccination using tick antigens 391
AINSLEY, R. W., S. M. ASMAN & R. P. MEYER—The optimal radiation dose for competitive males of *Culex tarsalis* (Diptera: Culicidae) 122
AKHTER, R.—see Hayes et al.
ANDERSON, JOHN F. & LOUIS A. MAGNARELLI—Vertebrate host relationships and distribution of ixodid ticks (Acari: Ixodidae) in Connecticut, USA 314
ANDERSON, J. F.—see Magnarelli & Anderson
ANDREADIS, THEODORE G. & DONALD W. HALL—Relationship between physiological age and fecundity in *Culex salinarius* (Diptera: Culicidae) 485
ANDREWS, CHARLES L., ROBERT R. GERRISH & VICTOR F. NETTLES—Ectoparasites collected from Eastern Cottontails in the southeastern United States 479
ARATA, A. A.—see Bang et al.
ASH, NOREEN & BERNARD GREENBERG—Vector potential of the German cockroach (Dictyoptera: Blattellidae) in dissemination of *Salmonella enteritidis* serotype *Typhimurium* 417
ASMAN, S. M.—see Ainsley et al.
AXTELL, RICHARD C.—see Rutz & Axtell
BAGAR, S.—see Hayes et al.
BAILEY, DONALD L., RONALD E. LOWE, JOYCE E. F. FOWLER & DANA A. FOCKS—Effects of adult sex ratio and stocking rate on viable egg production of *Anopheles albimanus* (Diptera: Culicidae) 563
BANG, Y. H.—see Bown & Bang
BANG, Y. H., D. N. BOWN & A. A. ARATA—Ecological studies on *Aedes africanus* (Diptera: Culicidae) and associated species in southeastern Nigeria 411
BAR-ZEEV, M.—Studies of repellents against *Panstrongylus megistus* (Hemiptera: Reduviidae) in Brazil 70
BASIT, A.—see Hayes et al.
BENNETT, GORDON F.—see Browne & Bennett
BENNETT, STEPHEN G. & RICHARD B. LOOMIS—The tropical pest chigger, *Eutrombicula batatas* (Acarina: Trombiculidae), in Arizona and California, USA 286
BENNETT, STEVEN R.—Dispersal of the western treehole mosquito, *Aedes sierrensis* (Diptera: Culicidae), in an orchard habitat 156
BOCK, MARTHA E.—see Meyer & Bock
BOOTH, KARLA S.—see Leahy & Booth
BOWN, D. N. & Y. H. BANG—Ecological studies on *Aedes simpsoni* (Diptera: Culicidae) in southeastern Nigeria 367
BOWN, D. N.—see Bang et al.
BROWNE, J. E.—New species of biting midges of the genus *Culicoides* from Colombia and the first description of the male of *C. florenciae* (Diptera: Ceratopogonidae) 533
BROWNE, SHELLEY M. & GORDON F. BENNETT—Color and shape as mediators of host-seeking responses of simuliids and tabanids (Diptera) in the Tantramar Marshes, New Brunswick, Canada 58
BRUMMER-KORVENKONTIO, M.—see Saikku et al.
BURGER, J. F.—see Lake & Burger
BUSCHMAN, L.—see Patterson et al.
CAMICAS, JEAN-LOUIS—see Main et al.
CAMPBELL, ALAN, RICHARD M. WARD & MAXWELL B. GARVIE—Seasonal activity and frequency distributions of ticks (Acari: Ixodidae) infesting Snowshoe Hares in Nova Scotia, Canada 22
CAREY, ANDREW B., WILLIAM L. KRINSKY & ANDREW J. MAIN—*Ixodes dammini* (Acari: Ixodidae) and associated ixodid ticks in south-central Connecticut, USA 89
CAREY, ANDREW B.—see Main & Carey
CAVANAUGH, DAN C.—see Hastriter et al.
CHANIOTIS, B. N.—see Christensen et al.
CHARLWOOD, J. DEREK & JOSE A. RAFAEL—Autogeny in the River Negro horse fly, *Lepiselaga crassipes*, and an undescribed species of *Stenotabanus* (Diptera: Tabanidae) from Amazonas, Brazil 519
CHRISTENSEN, H. A. & A. HERRER—Development of a Panamanian strain of *Leishmania mexicana* in co-indigenous *Lutzomyia sanguinaria* and *Lu. gomezi* (Diptera: Psychodidae) 188
CHRISTENSEN, HOWARD A. & ARISTIDES HERRER—Panamanian *Lutzomyia* (Diptera: Psychodidae) host attraction profiles 522
CHRISTENSEN, H. A., J. T. WHITLAW, JR, B. N. CHANIOTIS & A. M. DE VÁSQUEZ—Sylvatic hosts of *Rhodnius pallescens* (Hemiptera: Reduviidae) nymphs in the Panama Canal Zone 182

CLARKE, J. L., G. D. PRADHAN, G. P. JOSHI & R. E. FONTAINE—Assessment of the grain store as an unbaited outdoor shelter for mosquitoes of the *Anopheles gambiae* complex and *Anopheles funestus* (Diptera: Culicidae) at Kisumu, Kenya 100
CLIFFORD, CARLETON M.—see Keirans et al.
COPPEDGE, J. R.—see Tannahill et al.
COREY, M. E.—see Morris et al.
CRAIG, GEORGE B., JR—see Grimstad et al.
DAILEY, MURRAY D.—see Furman & Dailey; Nutting & Dailey
DAVEY, R. B., J. GARZA, JR, G. D. THOMPSON & R. O. DRUMMOND—Ovipositional biology of the southern cattle tick, *Boophilus microplus* (Acari: Ixodidae), in the laboratory 117
DAVEY, R. B., J. GARZA, JR, G. D. THOMPSON & R. O. DRUMMOND—Ovipositional biology of the cattle tick, *Boophilus annulatus* (Acari: Ixodidae), in the laboratory 287
DELOACH, JOHN R.—see Wright & DeLoach
DE VÁSQUEZ, A. M.—see Christensen et al.
DOHANY, A. L., D. L. HUXSOLL, J. P. SAUNDERS & O. W. PHANG—The efficacy of dimethoate as a systemic acaricide for the control of chiggers (Acarina: Trombiculidae) 30
DOHANY, A. L., B. L. LIM, D. M. ROBINSON & D. L. HUXSOLL—An ecological study of *Rickettsia tsutsugamushi* in the primary forest of Taman Negara, Peninsular Malaysia 35
DOWNS, THOMAS D.—see Hayes & Downs
DRUMMOND, R. O.—see Davey et al.
DURDEN, LANCE A.—Seasonal abundance of fleas (Siphonaptera) and sucking lice (Anoplura) on Gray Squirrels, *Sciurus carolinensis*, in central Tennessee, USA 483
EDMAN, J. D.—see Morris et al.
EMORD, D. E.—see Morris et al.
EVENHUIS, NEAL L.—see Steffan et al.
FAIN, A. & C. E. YUNKER—*Lutracarus canadensis*, n. g., n. sp. (Acari: Listrophoridae) from the River Otter, *Lutra canadensis* 424
FAIN, A. & M. LEE GOFF—Speleognathine mites (Acari: Ereynetidae) from birds in the Hawaiian Islands, with description of a new species 506
FELICIANGELI, M. DORA—The phlebotomine sand flies (Diptera: Psychodidae) of Venezuela 245
FLOYD, MARY—see Ackerman et al.
FOCKS, DANA A.—see Bailey et al.; Padgett & Focks
FONTAINE, R. E.—see Clarke et al.
FORTUNATO, PAUL J. & MORTON S. FUCHS—A comparison of the number of multiple enzymatic forms in gravid and nongravid *Aedes aegypti* (Diptera: Culicidae) 383
FOWLER, JOYCE E. F.—see Bailey et al.
FRAIHA, H.—see Ready et al.
FUCHS, MORTON S.—see Fortunato & Fuchs
FURMAN, DEANE P. & MURRAY D. DAILEY—The genus *Halarachne* (Acari: Halarachnidae), with the description of a new species from the Hawaiian Monk Seal 352
FYE, R. L.—see Patterson et al.
GARVIE, MAXWELL B.—see Campbell et al.
GARZA, J., JR—see Davey et al.
GERRISH, ROBERT R.—see Andrews et al.
GOFF, M. LEE—The genus *Ophiomegistus* (Acari: Paramegistidae), with descriptions of five new species, a new structure and a key to the species 398
GOFF, M. LEE—A new species of chigger (Acari: Trombiculidae) from the White-footed Dunnart (Marsupialia: Dasyuridae) in Australia 477
GOFF, M. LEE—A new species of *Whartonia* (Acari: Trombiculidae) from New Guinea fruit bats, redescription of *Whartonia penthetor* and designation of a lectotype 494
GOFF, M. LEE & GREG S. SPICER—A new genus of chiggers (Acari: Trombiculidae) from a cloud forest in Mexico 242
GOFF, M. LEE—see Fain & Goff; Nadchatram & Goff; Nadchatram et al.
GOLDSMITH, ROBERT S.—see Zárate et al.
GOLLANDS, B.—see Schmidtmann et al.
GRANATH, WILLARD O., JR—A simple method for raising *Culicoides variipennis* (Diptera: Ceratopogonidae) 385
GREENBERG, BERNARD—see Ash & Greenberg
GRIMSTAD, PAUL R., QUENTIN E. ROSS & GEORGE B. CRAIG, JR—*Aedes triseriatus* (Diptera: Culicidae) and La Crosse virus. II. Modification of mosquito feeding behavior by virus infection 1
GRINNELL, E. R.—see Samuel et al.
HALL, DONALD W.—see Andreadis & Hall
HANSEN, C. W.—see Nayar et al.

HARTMAN, MARGARET J.—see Mossé & Hartman
HASTRITER, MICHAEL W., DAVID M. ROBINSON & DAN C. CAVANAUGH—An improved apparatus for safely feeding fleas (Siphonaptera) in plague studies 387
HAYES, C. G., A. BASIT, S. BAGAR & R. AKHTER—Vector competence of *Culex tritaeniorhynchus* (Diptera: Culicidae) for West Nile virus 172
HAYES, JACK & THOMAS D. DOWNS—Seasonal changes in an isolated population of *Culex pipiens quinquefasciatus* (Diptera: Culicidae): A time series analysis 63
HELLENTHAL, RONALD A.—see Price & Hellenthal
HERRER, ARISTIDES—see Christensen & Herrer
HIGHTON, R. B.—see Service & Highton
HIGHTOWER, B. G.—see Krafsur et al.
HOOGSTRAAL, HARRY—see Keirans et al.
HOWARD, J. J.—see Morris et al.
HUXSOLL, D. L.—see Dohany et al.
JOHNSEN, JESSUP O.—see Rogoff et al.
JONES, C. J.—see Schmidtmann et al.
JOSHI, G. P.—see Clarke et al.
KEIRANS, JAMES E., CARLETON M. CLIFFORD & HARRY HOOGSTRAAL—Identity of the nymphs and adults of the Galápagos iguanid lizard parasites, *Ornithodoros* (*Alectorobius*) *darwini* and *O.* (*A.*) *galapagensis* (Ixodoidea: Argasidae) 427
KENNEDY, A. J.—see Samuel et al.
KLOMPEN, J. S. H.—see Lukoschus et al.
KLOTER, KIRBY O.—see Main et al.
KNIGHT, M. M.—see Rechav et al.
KOZUB, G. C.—see Nelson & Kozub
KRAFSUR, E. S., B. G. HIGHTOWER & MOISES VARGAS—Responses of screwworm (Diptera: Calliphoridae) populations to sterile male challenge in Veracruz 235
KRINSKY, WILLIAM L.—see Carey et al.
KUHN, H. G.—see Rechav et al.
LAINSON, R.—see Ready et al.
LAKE, D. J. & J. F. BURGER—Ovarian development in adult *Chrysops* (Diptera: Tabanidae) in northern New England, with emphasis on *Chrysops ater* and *C. mitis* 502
LEAHY, MARY G. & KARLA S. BOOTH—Precocene induction of tick sterility and ecdysis failure 18
LIM, B. L.—see Dohany et al.
LOOMIS, RICHARD B.—see Bennett & Loomis
LOURENS, J. H. M.—Susceptibility to cholinesterase-inhibiting acaricides of organochlorine-resistant and susceptible strains of *Amblyomma variegatum* (Acari: Ixodidae) and an organochlorine-susceptible strain of *A. lepidum* 375
LOWE, RONALD E.—see Bailey et al.
LUKOSCHUS, F. S., J. S. H. KLOMPEN & J. O. WHITAKER, JR—*Eadiea neurotrichus*, n. sp. (Prostigmata: Myobiidae) from *Neurotrichus gibbsii* (Insectivora: Talpidae) 498
MAGNARELLI, LOUIS A.—Bionomics of *Psorophora ferox* (Diptera: Culicidae): Seasonal occurrence and acquisition of sugars 328
MAGNARELLI, LOUIS A. & J. F. ANDERSON—Parasitism of *Tabanus nigrovittatus* immatures (Diptera: Tabanidae) by *Trichopria* sp. (Hymenoptera: Diapriidae) 481
MAGNARELLI, LOUIS A.—see Anderson & Magnarelli
MAHMOOD, FARIDA—see Reisen & Mahmood
MAIN, ANDREW J. & ANDREW B. CAREY—Connecticut virus: A new Sawgrass group virus from *Ixodes dentatus* (Acari: Ixodidae) 473
MAIN, ANDREW J., KIRBY O. KLOTER, JEAN-LOUIS CAMICAS, YVES ROBIN & MAMADOU SARR—Wad Medani and Soldado viruses from ticks (Ixodoidea) in West Africa 380
MAIN, ANDREW J.—see Carey et al.; Saikku et al.
MCIVER, SUSAN B.—Sensory aspects of mate-finding behavior in male mosquitoes (Diptera: Culicidae) 54
MCIVER, SUSAN & ROMAN SIEMICKI—Structure of the setae in the terminal abdominal tufts of adult *Toxorhynchites brevipalpis* (Diptera: Culicidae) 51
MEIFERT, D. W.—see Patterson et al.
MEYER, RICHARD P. & MARTHA E. BOCK—Aggregation and territoriality of *Cuterebra lepivora* (Diptera: Cuterebridae) 489
MEYER, R. P.—see Ainsley et al.
MILBY, M. M.—see Nelson & Milby
MILLER, R. W.—see Pickens & Miller
MITCHELL, CARL J., THOMAS P. MONATH & MARTA S. SABATTINI—Transmission of St. Louis en-

cephalitis virus from Argentina by mosquitoes of the *Culex pipiens* (Diptera: Culicidae) complex 282
MIYAGI, ICHIRO—*Topomyia* (*Suaymyia*) *rausai*, a new species of mosquito from the Philippines (Diptera: Culicidae) 178
MOGI, MOTOYOSHI—see Nolan & Mogi
MONATH, THOMAS P.—see Mitchell et al.
MORRIS, C. D., M. E. COREY, D. E. EMORD & J. J. HOWARD—Epizootiology of eastern equine encephalomyelitis virus in upstate New York, USA. I. Introduction, demography and natural environment of an endemic focus 442
MORRIS, C. D., R. H. ZIMMERMAN & J. D. EDMAN—Epizootiology of eastern equine encephalomyelitis virus in upstate New York, USA. II. Population dynamics and vector potential of adult *Culiseta melanura* (Diptera: Culicidae) in relation to distance from breeding site 453
MOSSÉ, ELISE & MARGARET J. HARTMAN—The effects of thermal stress upon gonads of *Culex tarsalis* (Diptera: Culicidae) 485
NADCHATRAM, M.—Two new species of Old World *Whartonia* (Acari: Prostigmata: Trombiculidae) 324
NADCHATRAM, M.—The genus *Iguanacarus*, new status (Acari: Prostigmata: Trombiculidae), with description of a new species from the tracheae of amphibious sea snakes 529
NADCHATRAM, M. & M. LEE GOFF—A new species of *Blankaartia* (*Megaciella*) parasitic on a migratory bird in Irian, New Guinea (Acari: Trombiculidae) 218
NADCHATRAM, M., M. LEE GOFF & P. THANALUKSHUMI—The genus *Schoengastia* (Acari: Trombiculidae) in the Asiatic-Pacific Region 268
NAYAR, J. K., M. W. PROVOST & C. W. HANSEN—Quantitative bionomics of *Culex nigripalpus* (Diptera: Culicidae) populations in Florida. 2. Distribution, dispersal and survival patterns 40
NELSON, R. L.—The pipe trap, an efficient method for sampling resting adult *Culex tarsalis* (Diptera: Culicidae) 348
NELSON, R. L. & M. M. MILBY—Dispersal and survival of field and laboratory strains of *Culex tarsalis* (Diptera: Culicidae) 146
NELSON, W. A. & G. C. KOZUB—*Melophagus ovinus* (Diptera: Hippoboscidae): Evidence of local mediation in acquired resistance of sheep to keds 291
NETTLES, VICTOR F.—see Andrews et al.
NOLAN, RICHARD A. & MOTOYOSHI MOGI—*Coelomomyces ponticulus*, n. sp., a fungal parasite of larval *Aedes* (*Stegomyia*) *flavopictus* (Diptera: Culicidae) from Mikura-jima Island, Japan 333
NUTTING, WILLIAM B. & MURRAY D. DAILEY—Demodicosis (Acari: Demodicidae) in the California Sea Lion, *Zalophus californianus* 344
ORCHARD, RICHARD D.—see Rogoff et al.
PADGETT, PHILLIP D. & DANA A. FOCKS—Laboratory observations on the predation of *Toxorhynchites rutilus rutilus* on *Aedes aegypti* (Diptera: Culicidae) 466
PATTERSON, R. S., D. W. MEIFERT, L. BUSCHMAN, T. WHITFIELD & R. L. FYE—Control of the house fly, *Musca domestica* (Diptera: Muscidae), with permethrin-coated fiber glass strips 232
PHANG, O. W.—see Dohany et al.
PICKENS, L. G. & R. W. MILLER—Biology and control of the face fly, *Musca autumnalis* (Diptera: Muscidae) 195
PRADHAN, G. D.—see Clarke et al.
PRICE, ROGER D. & RONALD A. HELLENTHAL—A review of the *Geomydoecus minor* complex (Mallophaga: Trichodectidae) from *Thomomys* (Rodentia: Geomyidae) 298
PRICE, ROGER D.—see Timm & Price
PROVOST, M. W.—see Nayar et al.
RABINOVICH, JORGE—see Rodríguez & Rabinovich
RADOVSKY, FRANK J.—see Yunker & Radovsky
RAFAEL, JOSE A.—see Charlwood & Rafael
READY, P. D., H. FRAIHA, R. LAINSON & J. J. SHAW—*Psychodopygus* as a genus: Reasons for a flexible classification of the phlebotomine sand flies (Diptera: Psychodidae) 75
RECHAV, Y., H. G. KUHN & M. M. KNIGHT—The effects of the tick *Amblyomma hebraeum* (Acari: Ixodidae) on blood composition and weight of rabbits 555
REISEN, WILLIAM K. & FARIDA MAHMOOD—Horizontal life table characteristics of the malaria vectors *Anopheles culicifacies* and *Anopheles stephensi* (Diptera: Culicidae) 211
ROBERTS, R. H.—The effect of temperature on the duration of oogenesis and embryonic development in Tabanidae (Diptera) 8
ROBIN, YVES—see Main et al.
ROBINSON, D. M.—see Dohany et al.; Hastriter et al.
RODRÍGUEZ, DIEGO & JORGE RABINOVICH—The effect of density on some population parameters of *Rhodnius prolixus* (Hemiptera: Reduviidae) under laboratory conditions 165

ROGOFF, WILLIAM M., JESSUP O. JOHNSEN & RICHARD D. ORCHARD—Carbon dioxide: Effects on sexual behavior of male house flies (Diptera: Muscidae) 561
ROSS, QUENTIN E.—see Grimstad et al.
RUTZ, DONALD A. & RICHARD C. AXTELL—Invasion and establishment of house fly, *Musca domestica* (Diptera: Muscidae), parasites (Hymenoptera: Pteromalidae) in new caged-layer poultry houses 151
SABATTINI, MARTA S.—see Mitchell et al.
SAIKKU, P., A. J. MAIN, I. ULMANEN & M. BRUMMER-KORVENKONTIO—Viruses in *Ixodes uria* (Acari: Ixodidae) from seabird colonies at Røst Islands, Lofoten, Norway 360
SAMUEL, W. M., E. R. GRINNELL & A. J. KENNEDY—Ectoparasites (Mallophaga, Anoplura, Acari) on Mule Deer, *Odocoileus hemionus*, and White-tailed Deer, *Odocoileus virginianus*, of Alberta, Canada 15
SARR, MAMADOU—see Main et al.
SAUNDERS, J. P.—see Dohany et al.
SCHMIDTMANN, E. T., C. J. JONES & B. GOLLANDS—Comparative host-seeking activity of *Culicoides* (Diptera: Ceratopogonidae) attracted to pastured livestock in central New York State, USA 221
SERVICE, M. W. & R. B. HIGHTON—A chemical light trap for mosquitoes and other biting insects 183
SHAW, J. J.—see Ready et al.
SIEMICKI, ROMAN—see McIver & Siemicki
SNOW, J. WENDELL—see Tannahill et al.
SONENSHINE, DANIEL E.—see Ackerman et al.
SPICER, GREG S.—see Goff & Spicer
STEFFAN, WALLACE A., RALPH D. STOAKS & NEAL L. EVENHUIS—Biological observations of *Toxorhynchites amboinensis* (Diptera: Culicidae) in the laboratory 515
STOAKS, RALPH D.—see Steffan et al.
TANNAHILL, F. H., J. R. COPPEDGE & J. WENDELL SNOW—Screwworm (Diptera: Calliphoridae) myiasis on Curaçao: Reinvasion after 20 years 265
TEMPELIS, CONSTANTINE H.—see Zárate et al.
TESH, ROBERT B.—Establishment of two cell lines from the mosquito *Toxorhynchites amboinensis* (Diptera: Culicidae) and their susceptibility to infection with arboviruses 338
THANALUKSHUMI, P.—see Nadchatram et al.
THOMPSON, G. D.—see Davey et al.
TIMM, ROBERT M. & ROGER D. PRICE—The taxonomy of *Geomydoecus* (Mallophaga: Trichodectidae) from the *Geomys bursarius* complex (Rodentia: Geomyidae) 126
TRIMBLE, R. M. & W. G. WELLINGTON—Oviposition stimulant associated with fourth-instar larvae of *Aedes togoi* (Diptera: Culicidae) 509
TRPIS, MILAN—see Vongtangswad & Trpis
ULMANEN, I.—see Saikku et al.
VARGAS, MOISES—see Krafsur et al.
VONGTANGSWAD, SOMKIET & MILAN TRPIS—Changing patterns of prey consumption in the predatory larvae of *Toxorhynchites brevipalpis* (Diptera: Culicidae) 439
WARD, RICHARD M.—see Campbell et al.
WELLINGTON, W. G.—see Trimble & Wellington
WHITAKER, J. O., JR—see Lukoschus et al.
WHITFIELD, T.—see Patterson et al.
WHITLAW, J. T.—see Christensen et al.
WRIGHT, FRED C. & JOHN R. DELOACH—Ingestion of erythrocytes containing ^{51}Cr-labeled hemoglobin by *Psoroptes cuniculi* (Acari: Psoroptidae) 186
YUNKER, C. E.—see Fain & Yunker
YUNKER, CONRAD E. & FRANK J. RADOVSKY—Parasitic mites of Surinam. XXXVI. A new genus and two new species of Neotropical Macronyssidae (Acari: Mesostigmata) 545
ZÁRATE, LAUREN G., RENATO J. ZÁRATE, CONSTANTINE H. TEMPELIS & ROBERT S. GOLDSMITH—The biology and behavior of *Triatoma barberi* (Hemiptera: Reduviidae) in Mexico. I. Blood meal sources and infection with *Trypanosoma cruzi* 103
ZÁRATE, RENATO J.—see Zarate et al.
ZIMMERMAN, R. H.—see Morris et al.
Book notices 194, 244, 390, 416, 570
Book reviews 190, 191, 193, 384, 389, 569
Editorial acknowledgments 570
Errata, Vol. 16 102
Notices 194, 423
Publication announcements 185, 267, 290
Review articles 195

Scientific notes 100, 182, 183, 186, 188, 286, 287, 380, 383, 385, 387, 479, 481, 483, 485, 487, 567
General Index 571
Vertebrate Index 578
Contents of Volume 17 iii

PUBLICATION DATES FOR VOLUME 17

No. 1, 31 January 1980
No. 2, 31 March 1980
No. 3, 31 May 1980
No. 4, 31 July 1980
No. 5, 30 September 1980
No. 6, 30 December 1980